RSTNCOVID Burn Service Evaluation

| Record ID | |
|--|--|
| Protocol info: Retrospective and Prospective study, collecting data of consecutive doctor at first presentation. Based on the UK government's discollect data from the week of the 6th April 2020 onwards, when peaked. Patient Inclusion/exclusion criteria: Patients not assessed by a consecutive data from the week of the 6th April 2020 onwards. | lata (https://coronavirus.data.gov.uk/), we aim to the daily number of lab-confirmed COVID-19 cases |
| Study purpose: The COVID-19 pandemic has changed how we deliver healthcarthis study is to collect data on how burns patients were manage burns management has changed during this pandemic, and idealong term. | ed during the COVID-19 pandemic, determine how |
| If you wish to be recognised as a Pubmed cited collaborator, ple | ease add your name and email address. |
| Data protection statement: We will store your name and email address for the purposes of service evaluation. Your data will not be shared or used for othe be erased. You can withdraw at any point by emailing rstncovid policy. | er purposes. At the end of the study, your details will |
| Q1. Data collector details | |
| Your full name | |
| | (First name, initials and surname as would appear in a journal article) |
| Email address | |
| Name of hospital | |
| Name of NHS Trust | |
| Q2. Patient Demographics | |
| Age | ○ 0-18yrs ○ 19-30yrs ○ 31-40yrs ○ 41-50yrs ○ 51-60yrs ○ 61-70yrs ○ >70yrs |
| Date of injury | |
| Date of first review | |



| Date of admission | |
|---|---|
| Date of discharge | |
| COVID-19 status | PositiveNegativeUnknown (not tested) |
| Aetiology of burn | ScaldFlameElectricalChemicalContactOther |
| If "Other", please specify | |
| Was the burn caused by the treatment or prevention of COVID-19? e.g. steam inhalation | ○ Yes ○ No |
| If yes, please elaborate how | |
| TBSA of burn (%) | |
| Burn depth | SuperficialPartial thicknessDeep dermalFull thicknessMixed depth |
| If mixed depth, what was the most predominant within that? | SuperficialPartial thicknessDeep dermalFull thickness |
| Q3. Referral Pathway | |
| How was the patient referred? | Accident & Emergency General Practice Urgent care centre Established telemedicine system e.g. TRIPS Other |
| Other method of referral | |
| Was this the usual pathway for referral? | Yes (usual pathway)No (alternative pathway due to COVID-19) |
| What was different from the usual pathway? | |

REDCap°

| Q4. Delays in presentation | |
|--|--|
| Was there a delay in patient presentation for initial medical assessment (e.g. at A&E, UCC, GP)? | |
| Was this COVID-19 related? | |
| What was the specific reason for delayed presentation? | □ Concern about catching COVID-19 □ Concern about hospital resources □ Difficulty in accessing hospital □ Self isolating/shielding □ COVID-19 symptoms □ Unknown □ Other |
| If "Other", please specify | |
| Was there subsequent delay in onwards referral to burns service? | |
| Did the delay adversely affect the burn at presentation? | |
| How did the delay adversely affect the burn? | InfectionBurn progressionOther |
| If "Other", please specify | |
| Q5. Patient management | |
| If the first presentation was pre-COVID, how would you have managed this? | Expectantly (trial of conservative management but discussion that patient may require surgery) Non-operatively Operatively |
| At first presentation, how did you decide to manage this burn? | Expectantly (trial of conservative management but discussion that patient may require surgery) Non-operatively Operatively |
| Was there a delay from the decision for surgical management to getting to theatre? | ○ Yes ○ No |
| Was the delay to theatre COVID-19 related? | ○ Yes ○ No |
| Was this reason for delay affecting: | ☐ Theatre availability ☐ Staff availability ☐ Post-operative support ☐ Other |
| If "Other", please specify | |

₹EDCap°

| Would you have managed this patient as an inpatient or outpatient at first presentation pre-COVID? | In-patientOutpatient |
|--|---|
| Was this patient managed as an in-patient or outpatient at first presentation? | ○ In-patient○ Outpatient |
| If your management decision was different from pre-COVID management, which factors influenced your decision? | □ Bed availability □ Patient refusal □ Operative capacity □ Patient had COVID-19 symptoms □ Reduced HDU/ITU availability □ Other |
| If "Other", please specify | |
| Q6. Outpatient management | |
| Has your outpatient management for this patient changed because of COVID-19? | |
| How was the outpatient management changed? | ☐ Increased patient education ☐ Dressings at home/district nurse/GP ☐ Telemedicine follow-up ☐ Reduced outpatient appointments ☐ Other |
| If "Other", please specify the outpatient management change | |
| If Telemedicine follow-up was one of the changes, what modality was used? | ☐ Telephone☐ Video Call☐ Email☐ Other |
| If "Other", please specify the telemedicine modality used | |

₹EDCap°